

Ultraxide: 1L-20L Draft Product Label.

Immediate Container

Text appearing above or below lines does not appear on the final label



POISON



**KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING**

ULTRAXIDE LIQUID DISINFECTANT

ACTIVE CONSTITUENTS:
150g/L GLUTARALDEHYDE
100g/L BENZALKONIUM CHLORIDE

**FOR SANITISING SHEDS, ANIMAL PENS, AND FARMING EQUIPMENT
1L-20L**

DIRECTIONS FOR USE:

Restraints: **DO NOT** use this product on feed or water.

<u>Situation</u>	<u>Rate</u>
Empty poultry sheds and animal pens, free from litter, manure and portable equipment	10 mL per 1 L of water

Critical Comments

Remove all animals and birds before use. Empty all water and feed containers and seal sheds. Saturate all surfaces using low pressure spray equipment and allow to dry or be absorbed. Ventilate area thoroughly before re-entry. Clean all waters and feeders before re-use

Apply diluted product at a rate of 100mL of diluted product per sq. meter on non-porous surfaces and 300mL per sq. meter for porous surfaces.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS
AUTHORISED UNDER APPROPRIATE LEGISLATION**

WITHOLDING PERIOD:

Not required when used as directed.

PRECAUTIONS:

Re-entry period: Do not allow entry to sealed sheds until at least 12 hours after spraying is complete or until Glutaraldehyde levels fall below the exposure standard (0.1 ppm).

CORROSIVE

UN 170 Corrosive Liquid

NOS

HAZCHEM 2X PGII

In a transport emergency dial 000 Police or Fire Brigade.

BATCH NUMBER:

DATE OF MANUFACTURE:

Ultraxide: 1L-20L Draft Product Label.

Immediate Container

Text appearing above or below lines does not appear on the final label



PROTECTION OF LIVESTOCK:

After use: Wait 12 hours after treatment, then thoroughly ventilate treated area before allowing re-entry of birds or animals.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT:

Toxic to fish. DO NOT contaminate streams, rivers, or waterways with this chemical or use containers.

STORAGE AND DISPOSAL:

Store in the closed, original container in a well ventilated area, protected from direct sunlight. Store below 25°C (Air Conditioning). DO NOT allow to freeze. Triple or preferably pressure rinse containers before disposal. Add rinsing to spray tank. DO NOT dispose of undiluted chemical on site. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. DO NOT burn empty containers or product.

SAFETY DIRECTIONS:

Poisonous if absorbed by skin contact or inhaled or swallowed. Corrosive: attacks eyes and will irritate the nose and throat and skin. Repeated exposure may cause allergic disorders. Avoid contact with eyes and skin. Do not inhale vapour or spray mist. When opening the container and preparing or using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, PVC apron, elbow length PVC or butyl rubber gloves, a face shield or goggles, impervious footwear and a half facepiece respirator with combined dust and gas cartridge. If product on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water after use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves face shield or goggles respirator and contaminated clothing with detergent and warm water.

FIRST AID INSTRUCTIONS:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766. If swallowed, DO NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

APVMA Approval No: 63131/44818

Distributed by:

Pacific BioLogics Pty Ltd

35 Beach Street

Kippa-Ring, QLD 4021

Ph: (07) 3283 5077

Fax: (07) 3283 5088

www.pacificbiologics.com.au