

Safety data sheet

Page: 1/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: **Basagran® 480 SL**

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

1. Identification

Product identifier

Basagran® 480 SL

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Operating Division Crop Protection

Telephone: +49 621 60-27777 E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral) Eye Dam./Irrit. 2B Skin Sens. 1 Aquatic Acute 3

Page: 2/14

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Warning

Hazard Statement: H320 H302 H317 H402	Causes eye irritation. Harmful if swallowed. May cause an allergic skin reaction. Harmful to aquatic life.
Precautionary Statemen P101 P102 P103	it: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
Precautionary Statemen	ts (Prevention)
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.
P280	Wear protective gloves/clothing/eye protection.
Precautionary Statemen	its (Response):
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you
	feel unwell.
P330	Rinse mouth
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.
Precautionary Statemen	its (Disposal):

P501

Dispose of contents and container to hazardous or special waste collection point.

Page: 3/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

Date of print 05.10.2022

(ID no. 30354884/SDS_CPA_00/EN)

According to UN GHS criteria

Hazard determining component(s) for labelling: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, herbicide, Soluble concentrate (SL)

Hazardous ingredients (GHS) According to UN GHS criteria

3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Content (W/W): 44 % Acute Tox. 5 (oral) CAS Number: 50723-80-3 Eye Dam./Irrit. 2B EC-Number: 256-735-4 Skin Sens. 1B Aquatic Acute 3

Aquatic Acute 3 Aquatic Chronic 3 H320, H303, H317, H402, H412

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air, seek medical attention.

Page: 4/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN) Date of print 05.10.2022

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, nitrogen oxides, sulfur oxides The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Page: 5/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 60 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature. Protect from temperatures above: 40 °C Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Page: 6/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	liquid yellow to red to brown fruity, faint odour	
	Not determined due to potential health hazard by inhalation.	
pH value:	approx. 6 - 7 (CIPAC standard water D, 1 %(m), 20 °C)	
Melting point:	approx. 0 °C (1.013,3 hPa) Information applies to the solvent.	
Boiling point:	approx. 100 °C (1.013,3 hPa) Information applies to the solvent.	
Flash point:		(DIN EN 22719; ISO 2719)
•	No flash point - Measurement made up to the boiling point.	· · · · ·

Page: 7/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: **Basagran® 480 SL**

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

			Date of print 00.10.20
	Evaporation rate:	not applicable	
	Flommobility	not applicable not self-igniting	
	Flammability: Lower explosion limit:	not sell-igniting	
	Lower explosion limit.	As a result of our experience with this	
		product and our knowledge of its	
		composition we do not expect any	
		hazard as long as the product is used	
		appropriately and in accordance with	
		the intended use.	
	Upper explosion limit:		
		As a result of our experience with this	
		product and our knowledge of its	
		composition we do not expect any	
		hazard as long as the product is used	
		appropriately and in accordance with	
	Ignition tomporature.	the intended use.	
	Ignition temperature:	555 °C	(Directive 92/69/EEC, A.15)
	Vapour pressure:	The product has not been tested.	
	Density:	approx. 1,19 g/cm3	(OECD Guideline 109)
	Donoty.	(20 °C)	
	Relative vapour density (
		not applicable	
	Solubility in water:	fully soluble	
	Partitioning coefficient n-	octanol/water (log Kow):	
		The statements are based on the	
		properties of the individual	
		components.	
1		oyl-1H-2, 1, 3-benzothiadiazin-4(3H)-one	2,2-dioxide, sodium salt
	Partitioning coefficient n-	octanol/water (log Kow): 0,77	
		(pH value: 5) The values mentioned are those of	
		the active ingredient.	
	l	-	
	Thermal decomposition:	160 °C, 350 kJ/kg (DSC (OECD 113))	
	• • • • • •	(onset temperature)	
		160 °C, 190 kJ/kg (DSC (OECD 113))	
		Not a substance liable to self-decompo	sition according to UN transport
		regulations, class 4.1.	
	Viscosity, dynamic:	approx. 9 mPa.s	(OECD 114)
		(20 °C, 100 1/s)	
		5,3 mPa.s	
	Evelopien kompuls	(40 °C, 100 1/s)	
	Explosion hazard:	Based on the chemical structure	
		there is no indication of explosive properties.	
	Fire promoting properties		
		the product is not classified as	
		oxidizing.	
		3	

Page: 8/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid: strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data: LD50 rat (oral): > 1.000 - < 2.000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): > 4,8 mg/l 4 h (OECD Guideline 403) No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4.000 mg/kg (OECD Guideline 402) No mortality was observed.

Page: 9/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Irritation

Assessment of irritating effects: May cause slight irritation to the eyes. Not irritating to the skin.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: Slightly irritating.

Respiratory/Skin sensitization

Assessment of sensitization:

The product has not been tested. The statement has been derived from the properties of the individual components. Sensitization after skin contact possible.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Experimental/calculated data: Guinea pig maximization test guinea pig: sensitizing (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Page: 10/14

Version: 4.0

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organtoxicity was observed after repeated administration to animals.

Aspiration hazard

No aspiration hazard expected. The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity: Harmful to aquatic life.

Toxicity to fish: LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (OECD Guideline 203)

Aquatic invertebrates: LC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants: EC50 (7 d) 19,2 mg/l, Lemna gibba

EC10 (7 d) 5,6 mg/l, Lemna gibba

Chronic toxicity to fish: No observed effect concentration (28 d) > 100 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates: No observed effect concentration (21 d) 250 mg/l, Daphnia magna

Persistence and degradability

Page: 11/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN) Date of print 05.10.2022

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Bioaccumulation potential: Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

Page: 12/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: **Basagran®** 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN) Date of print 05.10.2022

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user	Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known
RID	
UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user	Not classified as a dangerous good under transport regulations Not applicable Not applicable Not applicable Not applicable Not applicable None known
<u>Inland waterway transport</u> ADN	
	Not classified as a dangerous good under transport regulations

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable

Page: 13/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: Basagran® 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

Special precautions for None known user:

<u>Transport in inland waterway vessel</u> Not evaluated

Sea transport

IMDG

UN number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	Not applicable Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known
user	

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

Further information

The following provisions may apply for product in packages containing a net quantity of 5 L or less ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2);

Page: 14/14

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 01.07.2020 Product: **Basagran®** 480 SL

Version: 4.0

(ID no. 30354884/SDS_CPA_00/EN)

Date of print 05.10.2022

49CFR: §171.4 (c) (2).

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:		
Acute Tox.	Acute toxicity	
Eye Dam./Irrit.	Serious eye damage/eye irritation	
Skin Sens.	Skin sensitization	
Aquatic Acute	Hazardous to the aquatic environment - acute	
Aquatic Chronic	Hazardous to the aquatic environment - chronic	
H320	Causes eye irritation.	
H303	May be harmful if swallowed.	
H317	May cause an allergic skin reaction.	
H402	Harmful to aquatic life.	
H412	Harmful to aquatic life with long lasting effects.	

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.